












LED CANDLE LAMP

DAYLIGHT
LIGHTING

PREMIUM LIGHTING FOR HOUSEHOLD, INDUSTRIAL AND COMMERCIAL APPLICATIONS

Picture For Reference	Product Code	Rated Power	IP	Base	Lamp Size(mm)	Voltage	CCT	Lumens (lm)	C.R.I	PF	Surge Protection	Dimmable
	DLL021	5W	20	E14	37*100	220-240V	3000k	430	>80	>0.5	600V	NO
	DLL022	5W	20	E14	37*100	220-240V	4000k	430	>80	>0.5	600V	NO
	DLL023	5W	20	E14	37*100	220-240V	6500k	430	>80	>0.5	600V	NO
	DLL024	5W	20	E27	37*100	220-240V	3000k	430	>80	>0.5	600V	NO
	DLL025	5W	20	E27	37*100	220-240V	4000k	430	>80	>0.5	600V	NO
	DLL026	5W	20	E27	37*100	220-240V	6500k	430	>80	>0.5	600V	NO
	DLL027	5W	20	B22	37*100	220-240V	3000k	430	>80	>0.5	600V	NO
	DLL028	5W	20	B22	37*100	220-240V	4000k	430	>80	>0.5	600V	NO
	DLL029	5W	20	B22	37*100	220-240V	6500k	430	>80	>0.5	600V	NO










DAYLIGHT LIGHTING

PREMIUM LIGHTING FOR HOUSEHOLD,
INDUSTRIAL & COMMERCIAL APPLICATIONS

Daylight Lighting (Pty) Ltd
Distribution throughout South Africa and Africa

Offices in: Port Elizabeth (Head Office), Cape Town, Johannesburg, Durban and Bloemfontein
Tel: +27 (0) 41 484 3330 | Web: www.daylightlighting.co.za | Email: sales@daylightlighting.co.za

*See product warranty terms and conditions at <https://daylightlighting.co.za/warranty-terms-and-conditions/>

Picture For Reference	Product Code	Rated Power	IP	Base	Lamp Size(mm)	Voltage	CCT	Lumens (lm)	C.R.I	PF	Surge Protection	Dimmable
	DLL030	5W	20	E14	37*100	220-240V	3000k	430	>80	>0.5	600V	YES
	DLL031	5W	20	E14	37*100	220-240V	4000k	430	>80	>0.5	600V	YES
	DLL032	5W	20	E14	37*100	220-240V	6500k	430	>80	>0.5	600V	YES
	DLL033	5W	20	E27	37*100	220-240V	3000k	430	>80	>0.5	600V	YES
	DLL034	5W	20	E27	37*100	220-240V	4000k	430	>80	>0.5	600V	YES
	DLL035	5W	20	E27	37*100	220-240V	6500k	430	>80	>0.5	600V	YES
	DLL036	5W	20	B22	37*100	220-240V	3000k	430	>80	>0.5	600V	YES
	DLL037	5W	20	B22	37*100	220-240V	4000k	430	>80	>0.5	600V	YES
	DLL038	5W	20	B22	37*100	220-240V	6500k	430	>80	>0.5	600V	YES

DAYLIGHT LIGHTING

PREMIUM LIGHTING FOR HOUSEHOLD,
INDUSTRIAL & COMMERCIAL APPLICATIONS

Daylight Lighting (Pty) Ltd
Distribution throughout South Africa and Africa

Offices in: Port Elizabeth (Head Office), Cape Town, Johannesburg, Durban and Bloemfontein
Tel: +27 (0) 41 484 3330 | Web: www.daylightlighting.co.za | Email: sales@daylightlighting.co.za

*See product warranty terms and conditions at <https://daylightlighting.co.za/warranty-terms-and-conditions/>